



Maharashtra Airport Development Company Ltd.

(A Government of Maharashtra Undertaking)

8th Floor, World Trade Centre, Cuffe Parade, Mumbai - 400 005, India

Tel.: +91 22 4921 2121 • Fax : +91 22 2216 3814

E-mail : contact@madcindia.org • Web.: www.madcindia.org

CIN : U45203MH2002SGC136979

No. MADC/2026/Baramati Airport/

Date: 15th July, 2026

QUOTATION NOTICE

MADC invites sealed quotations for Installation of Parking Shed for Existing CFT at Baramati airport from reputed firms dealing such as per the following: The work shall be carried out strictly as per the approved drawings, technical specifications, Bill of Quantities (BOQ).

SCOPE OF WORK

The scope of work includes supply of all materials, labour, machinery, tools & tackles, transportation, installation, testing, and completion of all civil and structural works required for installation of the parking shed including foundation, structural steel work, roofing, reinforcement, finishing and all allied works as specified in the BOQ.

BILL OF QUANTITIES (BOQ)

Sr. No.	Description	Unit	Qty	Rate	Amount (Rs)
1	Excavation for foundation in earth, soil of all types, sand, gravel and soft murum, including removing the excavated material up to a distance of 50m. beyond the building area and stacking and spreading as directed, dewatering, preparing the bed for the foundation and necessary backfilling, ramming, watering including shoring and strutting etc. complete. (Lift upto 1.5 m.) By Mechanical Means SSR 23-24, Item No.21.04 Bd.A.1 Page No.153	39.3006	Cu.m	207	8,135.22
2	Providing and laying Cast in situ/Ready Mix cement concrete in M-10 of trap/ granite/ quartzite/ gneiss metal for foundation and bedding including bailing out water, Steel centering, formwork, laying/pumping, compacting, roughening them if special finish is to be provided, finishing if required and curing complete, with fully automatic microprocessor based PLC with SCADA enabled reversible Drum Type mixer/concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade) SSR 23-24, Item No.24.01 BDE 1 Page 175	1	Cu.m	5830	5,830
3	Providing and laying Cast in situ/Ready Mix cement concrete M-25 of trap / granite /quartzite/ gneiss metal for R.C.C. columns as per detailed designs and drawings or as directed including steel centering, formwork, cover blocks, laying/pumping, compaction finishing the formed surfaces with cement mortar 1:3 of sufficient minimum thickness to give a smooth and even surface roughening if special finish is to be provided and curing etc. complete, (Excluding	8.7056	Cu.m	13967	1,21,591.12

	reinforcement and structural steel), with fully automatic microprocessor based PLC with SCADA enabled reversible Drum Type mixer/ concrete Batch mix plant (Pan mixer) etc. complete. With fine aggregate (Crushed sand VSI Grade) SSR 23-24, Item No. 25.33 BDF 5 Page 180				
4	Providing and fixing colour coated Zinalume (R) AZ150 (min 150 gms/sq.mt. total one each side) profiled sheets for roofing. The feed material is manufactured out of nominal 0.45mm Base Metal Thickness (BMT) (0.5mm TCT), Hi-strength steel with min. 550 MPa yield strength, metallic hot dip coated with Aluminum-Zinc alloy (55% aluminium 43.4% zinc 1.6% silicon) with COLORBOND (R) steel quality super durable polyester paint coat (with inorganic pigment). The paint shall have a total coating thickness of nominal 35 um, comprising of nominal 25 um exterior coat on top surface and nominal 10 um reverse coat on back surface. Profile sheet shall have nominal 950 1050 mm effective cover width and nominal 25-30 mm deep ribs with subtle square fluting in the five pan at nominal 180-250 mm center-to-center. The end rib shall be designed for anti-capillary groove, and return leg. The feed material should have coil manufacturers product details marked at regular interval. Including fasteners with min. fastened with min. 25 um Zinc-Tin alloy coated, Hex head, self-drilling screw etc. complete. (weight of profile 4.52 Kilogram/ One Square Metre) SSR 22-23, Item No. 38.34 BDR Page No 236	118.56	Sq.m	1173	1,39,070.88
5	Providing and fixing plain zinc sheeting of 0.80 mm thick (22 B.W.G.) over the ridge hip or valley to galvanized iron sheet roofing including all fastening and bolt galvanized iron screws and bolts, lead and bitumen washers etc. complete. (Weight of 6.8 Kilogram/sq.m.) SSR 23-24 item no. 38.05 BDR Page 233	10.8	Sq.m	1139	12,301.20
6	Providing and fixing plain zinc sheeting of 0.80 mm thick (22 B.W.G.) over the ridge hip or valley to galvanized iron sheet roofing including all fastening and bolt galvanized iron screws and bolts, lead and bitumen washers etc. complete. (Weight of 6.8 Kilogram/sq.m.) SSR 23-24, Item No. 23.11 Page No. 174	4.5043	MT	118790	5,35,065.80
7	TMT FE-500 Reinforcement. SSR 22-23, Page No.	0.2542	MT	61000	15,506.20
	Total				8,37,500.42

ELIGIBILITY CRITERIA

The bidder shall submit the following documents:

1. GST Registration Certificate
2. PAN Card
3. Firm Registration Certificate
4. Experience Certificate / Work Orders
5. Bank Details

Time Period: 60 days

GENERAL TERMS & CONDITIONS

1. The contractor shall inspect the site before submitting the quotation.
2. All materials shall be of approved quality and conform to relevant IS Standards.
3. The contractor shall arrange all labour, machinery, tools and safety equipment.
4. No price escalation shall be admissible during the contract period.
5. Measurements shall be jointly recorded before payment.
6. Payment shall be released after satisfactory completion of work.
7. GST shall be paid extra as per applicable norms.
8. The contractor shall maintain safety and housekeeping at the site.
9. Any defective work shall be rectified by the contractor at no extra cost.
10. The Employer reserves the right to accept or reject any tender without assigning any reason.
11. Contractor/ Firms should quote their offer (+/- Percentage) on the estimated cost

The duly signed sealed quotations with stamp with terms & conditions should reach MADC HQ, Mumbai office within 7 days i.e. on 22.07.2026 & shall be opened on the same day.

DECLARATION

I/We hereby declare that we have carefully read and understood all the terms and conditions of this tender document and agree to execute the work as per the specifications and conditions mentioned herein.

Name of Contractor: _____

Authorized Signatory: _____

Signature & Seal: _____

Date: _____

